

Announcement

Auto answer

Setup

NAR-6100 Series products

1. Create a voice announcement file

- File format: **Wave, A-Law, 8000HZ, 64kbps, mono**
- Upload files

System

Min Recording Time (Second)

Max Recording Time (Minute)

Time Between Rings (Second)

Min length of caller ID

Leading Digits to be Blocked

Hot Key to Start Recording

Hot Key to Stop Recording

Software dialing waiting time

Voice Sensitivity

Device Time

PC Time

Storage Device

Total Capacity

Residual Space

Reserved Space

Recycling Space Save missed calls

Playback audio file list

1.WAV

Configuration parameter

Info
System
Channel
Keystroke Play
Network
SMDR
User

Channel

Channel ▼

Record Trigger ▼

Channel Name

Announcement ▼

Save OGM Power-off Alarm

Voltage

Power-Off	<input type="text" value="3"/>	V	<input type="button" value="Detection"/>
Off-Hook	<input type="text" value="8"/>	V	<input type="button" value="Detection"/>
On-Hook	<input type="text" value="48"/>	V	<input type="button" value="Detection"/>
Ringing	<input type="text" value="90"/>	V	

Auto-answer Save OGM

Number of Ring Tones (1-10 ringing)

Max message time (10 to 200 seconds)

Sun	Mon	Tue	Wed	Thu	Fri	Sat
<input checked="" type="checkbox"/> All day answer						
<input type="checkbox"/> period 1	<input type="text" value="00 : 00 - 00 : 00"/>					
<input type="checkbox"/> period 2	<input type="text" value="00 : 00 - 00 : 00"/>					
<input type="checkbox"/> period 3	<input type="text" value="00 : 00 - 00 : 00"/>					

▼